

Learning safe policies with expert guidance

Jessie Huang

School of Computer Science, McGill University
Montreal, Canada
jiexi.huang@mcgill.ca

Doina Precup

School of Computer Science, McGill University
Montreal, Canada
dprecup@cs.mcgill.ca

Fa Wu

School of Computer Science, McGill University
Montreal, Canada
fa.wu2@mail.mcgill.ca

Yang Cai

School of Computer Science, McGill University
Montreal, Canada
cai@cs.mcgill.ca

ABSTRACT

We propose a framework for ensuring safe behavior of a reinforcement learning agent when the reward function may be difficult to specify. In order to do this, we rely on the existence of demonstrations from expert policies, and we provide a theoretical framework for the agent to optimize in the space of rewards consistent with its existing knowledge. We propose two methods to solve the resulting optimization: an exact ellipsoid-based method and a method in the spirit of the "follow-the-perturbed-leader" algorithm. Our experiments demonstrate the behavior of our algorithm in both discrete and continuous problems. The trained agent safely avoids states with potential negative effects while imitating the behavior of the expert in the other states.

KEYWORDS

reinforcement learning; robustness; follow the perturbed leader

1 INTRODUCTION

In Reinforcement Learning (RL), agent behavior is driven by an objective function defined through the specification of rewards. Misspecified rewards may lead to *negative side effects* [3], when the agent acts unpredictably responding to the aspects of the environment that the designer overlooked, and potentially causes harms to the environment or itself. As the environment gets richer and more complex, it becomes more challenging to specify and balance rewards for every one of its aspects. Yet if we want to have some type of safety guarantees in terms of the behavior of an agent learned by RL once it is deployed in the real world, it is crucial to have a learning algorithm that is robust to mis-specifications.

We assume that the agent has some knowledge about the reward function either through past experience or demonstrations from experts. The goal is to choose a robust/safe policy that achieves high reward with respect to any reward function that is consistent with the agent's knowledge. We formulate this as a *maxmin learning* problem where the agent chooses a policy and an adversary chooses a reward function that is consistent with the agent's current knowledge and minimizes the agent's reward. The goal of the agent is to learn a policy that maximizes the worst possible reward.

We assume that the reward functions are linear in some feature space. Our formulation has two appealing properties: (1) it allows us to combine demonstrations from multiple experts even though they may disagree with each other; and (2) the training environment/MDP in which the experts operate need not be the same as the testing

environment/MDP where the agent will be deployed, our results hold as long as the testing and training MDPs share the same feature space. As an application, our algorithm can learn a maxmin robust policy in a new environment that contains a few features that are not present in the training environment. See our gridworld experiment in Section 5.

Our first result (Theorem 4.1) shows that given any algorithm that can find the optimal policy for an MDP in polynomial time, we can solve the maxmin learning problem exactly in polynomial time. Our algorithm is based on a seminal result from combinatorial optimization – the equivalence between separation and optimization [9, 15] – and the ellipsoid method. To understand the difficulty of our problem, it is useful to think of maxmin learning as a two-player zero-sum game between the agent and the adversary. The deterministic policies correspond to the pure strategies of the agent. The consistent reward functions we define in Section 3 form a convex set and the adversary's pure strategies are the extreme points of this convex set. Unfortunately, both the agent and the adversary may have exponentially many pure strategies, which are hard to describe explicitly. This makes solving the two-player zero-sum game challenging. Using tools from combinatorial optimization, we manage to construct separation oracles for both the agent's and the adversary's set of policies using the MDP solver as a subroutine. With the separation oracles, we can solve the maxmin learning problem in polynomial time using the ellipsoid method.

Theorem 4.1 provides a polynomial time algorithm, but as it heavily relies on the ellipsoid method, it is computationally expensive to run in practice. We propose another algorithm (Algorithm 3) based on the online learning algorithm – *followed-the-perturbed-leader* (FPL), and show that after T iterations the algorithm computes a policy that is at most $O\left(\frac{1}{\sqrt{T}}\right)$ away from the true maxmin policy (Theorem 4.6). Moreover, each iteration of our algorithm is polynomial time. Notice that many other low-regret learning algorithms, such as the multiplicative weights update method (MWU), are not suitable for our problem. The MWU requires explicitly maintaining a weight for every pure strategy and updates them in every iteration, resulting in an exponential time algorithm for our problem. Furthermore, we show that Algorithm 3 still has similar performance when we only have a fully polynomial time approximation scheme (FPTAS) for solving the MDP in the end of Section 4.2.

Related Work. In the sense of using expert demonstrations, our work is related to inverse reinforcement learning and apprenticeship learning [1, 2, 19, 21, 22]. In particular, the apprenticeship learning

problem can also be formulated as a maxmin problem [21, 22]. Despite the seemingly similarity, our maxmin learning problem aims to solve a completely different problem than apprenticeship learning. Here is a simple example: the expert is consistent with two reward functions w_1 and w_2 with $\epsilon = 25^{-1}$. The expert gets 100 under w_1 and 70 under w_2 , and the only alternative policy gives 90 and 90. Apprenticeship learning will return the expert policy while ours will return the latter solution. In the worst case (under w_2), our maxmin policy has better guarantees and thus is more robust. Unlike apprenticeship learning/IRL, we do not want to mimic the experts or infer their rewards, but we want to produce a policy with robustness guarantees by leveraging their data. As a consequence, our results are applicable to settings where the training and testing environments are different (as discussed in the Introduction). Moreover, our formulation allows us to combine multiple expert demonstrations.

In repeated IRL [2], the agent acts on the behalf of a human expert in a variety of tasks, and the human expert corrects the agent when the agent’s policy is far from the optimum. The goal is to minimize the number of corrections from the expert, and they provide an upper bound on the number of corrections by reducing the problem to the ellipsoid method. Their model requires continuous interaction with an expert while our model only assumes the availability of one or a couple expert policies prior to training. Furthermore, we aim to find a maxmin optimal policy, while their paper focuses on minimizing the number of corrections needed.

Inverse reward design [10] uses a proxy reward and infers the true reward by estimating its posterior. Then it uses risk-averse planning together with samples from the posterior in the testing environment to achieve safe exploration. Our approach achieves a similar goal without assuming any distribution over the rewards and is arguably more robust. We apply a single reward function to the whole MDP while they apply (maybe too pessimistically) per step/trajectory maxmin planning. Furthermore, our algorithm is guaranteed to find the maxmin solution in polynomial time, and can naturally accommodate multiple experts.

Robust Markov Decision Processes [13, 20] have addressed the problem of performing dynamic programming-style optimization environments in which the transition probability matrix is uncertain. Lim, Xu & Mannor [17] have extended this idea to reinforcement learning methods. This body of work also uses min-max optimization, but because the optimization is with respect to worst-case transitions, this line of work results in very pessimistic policies. Our algorithmic approach and flavor of results are also different. [18] have addressed a similar adversarial setup, but in which the environment designs a worst-case disturbance to the dynamics of the agent, and have addressed this setup using H_∞ control.

Paper Organization. We introduce the notations and define the maxmin learning problem in Section 2. We provide three different ways to define the set of consistent reward functions in Section 3, and present the ellipsoid-based exact algorithm and its analysis in Section 4.1. The FPL-based algorithm and its analysis can be found in Section 4.2. We provide experimental results in Section 5.

¹ See Section 3 for the formal definition of consistent rewards. Intuitively, it means that the expert’s policy yields a reward that is within ϵ of the optimal possible reward.

2 PRELIMINARY

An MDP is a tuple $M = (\mathcal{S}, \mathcal{A}, P_{sa}, \gamma, D, R)$, including a finite set of states, \mathcal{S} , a set of actions, \mathcal{A} , and transition probabilities, P_{sa} . γ is a discount factor, and D is the distribution of initial states. The reward function R instructs the learning process. We assume that the reward is a linear function of some vector of features $\phi: \mathcal{S} \rightarrow [0, 1]^k$ over states. That is $R(s) = w \cdot \phi(s)$ for every state $s \in \mathcal{S}$, where $w \in \mathbb{R}^k$ is called the *reward weights* of the MDP. Throughout the paper, we use w^* to denote the true reward weights and we assume that w^* is unknown to the agent. We use $\langle \cdot \rangle$ to denote the bit complexity of an object. In particular, we use $\langle M \rangle$ to denote the bit complexity of an MDP M , which is the number of bits required to represent the distribution of initial states, transition probabilities, the discount factor γ , and the rewards at all the states. We use the notation $M \setminus R$ to denote a MDP without the reward function, and use $\langle M \setminus R \rangle$ to denote its bit complexity. We further assume that $\phi(s)$ can be represented using at most $\langle \phi \rangle$ bits for any state $s \in \mathcal{S}$.

An agent selects the action according to a policy π . The value of a policy is $\mathbb{E}_{s_0 \sim D}[V^\pi(s_0)|M] = w \cdot \mathbb{E}[\sum_{t=0}^{\infty} \gamma^t \phi(s_t)|M, \pi]$ under rewards w . It is expressed as the weights multiplied by the accumulated discounted feature value given a policy, which we define as $\Psi(\pi) = \mathbb{E}[\sum_{t=0}^{\infty} \gamma^t \phi(s_t)|M, \pi]$.

MDP solver. We assume that there is a RL algorithm ALG that takes an MDP as input and outputs an optimal policy and its corresponding representation in the feature space. In particular, $\text{ALG}(M)$ outputs (π^*, μ^*) such that

$$\mathbb{E}_{s_0 \sim D}[V^{\pi^*}(s_0)|M] = \max_{\pi} \mathbb{E}_{s_0 \sim D}[V^\pi(s_0)|M] \text{ and } \mu^* = \Psi(\pi^*).$$

Maxmin Learning. All weights that are consistent with the agent’s knowledge form a set P_R . We will discuss several formal ways to define this set in Section 3. The goal of the agent is to learn a policy that maximizes the reward for any reward function that could be induced by weights in P_R and adversarially chosen. More specifically, the max-min learning problem is $\max_{\mu \in P_F} \min_{w \in P_R} w^T \mu$, where P_F is the polytope that contains the representations of all policies in the feature space, i.e. $P_F = \{\mu \mid \mu = \Psi(\pi) \text{ for some policy } \pi\}$. WLOG, we assume that all weights lie in $[-1, 1]^k$.

Separation Oracles. To perform maxmin learning, we often need to optimize linear functions over convex sets that are intersections of exponentially many halfspaces. Such optimization problem is usually intractable, but if the convex set permits a polynomial time *separation oracle*, then there exists polynomial time algorithms (e.g. ellipsoid method) that optimize linear functions over it.

Definition 2.1. (Separation Oracle) Let P be a closed, convex subset of Euclidean space \mathbb{R}^d . Then a *Separation Oracle* for P is an algorithm that takes as input a point $x \in \mathbb{R}^d$ and outputs “YES” if $x \in P$, or a hyperplane (w, c) if $x \notin P$ such that $w \cdot y \leq c$ for all $y \in P$, but $w \cdot x > c$. Note that because P is closed and convex, such a hyperplane always exists whenever $x \notin P$.

3 CONSISTENT REWARD POLYTOPE

In this section, we discuss several ways to define the consistent reward polytope P_R .

Explicit Description. We assume that the agent knows that the weights satisfy a set of explicitly defined linear inequalities of the

form $c \cdot w \geq b$. For example, such an inequality can be learned by observing that a particular policy yields a reward that is larger or smaller than a certain threshold.²

Implicitly Specified by an Expert Policy. Usually, it may not be easy to obtain many explicit inequalities about the weights. Instead, we may have observed a policy π_E used by an expert. We further assume that the expert’s policy has a reasonably good performance under the true rewards w^* . Namely, π_E ’s expected reward is only ϵ less than the optimal one. Let the expert’s feature vector $\mu_E = \Psi(\pi_E)$. The set P_R therefore contains all w such that $\mu_E \cdot w \geq \mu^T \cdot w - \epsilon, \forall \mu \in P_F$. It is not hard to verify that under this definition P_R is a convex set. Even though explicitly specifying P_R is extremely expensive as there are infinitely many $\mu \in P_F$, we can construct a polynomial time separation oracle SO_R (Algorithm 1). An alternative way to define P_R is to assume that the expert policy can achieve $(1 - \epsilon)$ of the optimal reward (assuming the final reward is positive). We can again design a polynomial time separation oracle similar to Algorithm 1.

Algorithm 1 Separation Oracle SO_R for the reward polytope P_R

input $w' \in \mathbb{R}^k$

- 1: Let $\mu_{w'} := \operatorname{argmax}_{\mu \in P_F} \mu \cdot w'$. Notice that $\mu_{w'}$ is the feature vector of the optimal policy under reward weights w' . Hence, it can be computed by our MDP solver ALG.
- 2: **if** $\mu_{w'} \cdot w' > \mu_E \cdot w' + \epsilon$ **then**
- 3: output “NO”, and $(\mu_E - \mu_{w'}) \cdot w + \epsilon \geq 0$ as the separating hyperplane, since for all $w \in P_R, \mu_E \cdot w \geq \mu_{w'} \cdot w - \epsilon$.
- 4: **else**
- 5: output “YES”.
- 6: **end if**

Combining Multiple Experts. How can we combine demonstrations of experts that come from drastically different environments? Here is our model. For each environment i , there is a separate MDP M_i , and all the MDPs share the same underlying weight as they are all about completing the same task although in different environments. The i -th expert’s policy is nearly optimal in M_i . More specifically, we will assume that for expert i , her policy π_{E_i} is at most ϵ_i less than the optimal policy in M_i . Therefore, each expert i provides a set of constraints that any consistent reward needs to satisfy, and P_R is the set of rewards that satisfy all constraints imposed by the experts. For each expert i , we can design a separation oracle $SO_R^{(i)}$ (similar to Algorithm 1) that only accepts weights that respect the constraints given by expert i ’s policy. We can easily design a separation oracle for P_R that only accepts weights that will be accepted by all separation oracles $SO_R^{(i)}$.

From now on, we will not distinguish between the different ways to define and access the consistent reward polytope P_R , but simply assume that we have a polynomial time separation oracle for it. All the algorithms we design in this paper only require access to this separation oracle. In Section 5, we will specify how the P_R is defined for each experiment.

²Note that with a polynomial number of trajectories, one can apply standard Chernoff bounds to derive such inequalities that hold with high probability. It is often the case that the probability is so close to 1 that the inequality can be treated as true always for any practical purposes.

4 MAXMIN LEARNING USING AN EXACT MDP SOLVER

In this section, we show how to design maxmin learning algorithms. Our algorithm only interacts with the MDP through the MDP solver, which can be either model-based or model-free. Our first algorithm solves the maxmin learning problem exactly using the ellipsoid method. Despite the fact that the ellipsoid method has provable worst-case polynomial running time, it is known to be inefficient sometimes in practice. Our second algorithm is an efficient iterative method based on the online learning algorithm –*follow-the-perturbed-leader* (FPL).

4.1 Ellipsoid-Method-Based Solution

THEOREM 4.1. *Given a polynomial time separation oracle SO_R for the consistent reward polytope P_R and an exact polynomial time MDP solver ALG, we have a polynomial time algorithm such that for any MDP without the reward function $M \setminus R$, the algorithm computes the maxmin policy π^* with respect to $M \setminus R$ and P_R .*

The plan is to first solve the maxmin learning problem in the feature space then convert it back to the policy space. Solving the maxmin learning problem in the feature space is equivalent to solving the linear program in Figure 1.

$$\begin{aligned} \max \quad & z \\ \text{subject to} \quad & z \leq \mu \cdot w, \forall w \in P_R \\ & \mu \in P_F \end{aligned}$$

Figure 1: Maxmin Learning LP.

The challenges for solving the LP are that (i) it is not clear how to check whether μ lies in the polytope P_F , and (ii) there are seemingly infinitely many constraints of the type $z \leq \mu \cdot w$ as there are infinitely many $w \in P_R$. Next, we show that given an exact MDP solver ALG, we can design a polynomial time separation oracle for the set of feasible variables (μ, z) of LP 1. With this separation oracle, we can apply the ellipsoid method (Theorem 4.2) to solve LP 1 in polynomial time.

The following theorem, reworded from [9, 15, 16], states that given a separation oracle of a convex polytope, the ellipsoid method can optimize any linear function over the convex polytope in polynomial time.

THEOREM 4.2 (ELLIPSOID METHOD). *([9, 15, 16]) Let P be a d -dimensional closed, convex subset of \mathbb{R}^d defined as the intersection of finitely many halfspaces, and SO be a poly-time separation oracle for P . Then it is possible to find an element in $\operatorname{argmax}_{x \in P} \{c \cdot x\}$ for any $c \in \mathbb{R}^d$ (i.e. solve linear programs) in time polynomial in d and $\langle P \rangle$ using the ellipsoid method, if P can be described implicitly using $\langle P \rangle$ bits.³*

Next, we design a separation oracle for polytope P_F by invoking a seminal result from optimization – the equivalence between separation and optimization.

³We say a polytope P can be described implicitly using ℓ bits if there exists a description of the polytope P such that all constraints only use coefficients with bit complexity ℓ .

4.1.1 Separation Oracle for Polytope P_F .

LEMMA 4.3 (SEPARATION \equiv OPTIMIZATION). [9, 15] Consider any convex polytope $P = \{x : Ax \leq b\} \in \mathbb{R}^d$ and the following two problems:

- **Linear Optimization:** given a linear objective $c \in \mathbb{R}^d$, compute $x^* \in \operatorname{argmax}_{x \in P} c \cdot x$
- **Separation:** given a point $y \in \mathbb{R}^d$, decide that $y \in P$, or else find $h \in \mathbb{R}^d$ s.t. $h \cdot x < h \cdot y, \forall x \in P$.

If P can be described implicitly using $\langle P \rangle$ bits, then the separation problem is solvable in $\operatorname{poly}(\langle P \rangle, d, \langle y \rangle)$ time for P if and only if the linear optimization problem is solvable in $\operatorname{poly}(\langle P \rangle, d, \langle c \rangle)$ time.

It is not hard to see that if one can solve the separation problem, one can construct a separation oracle in polynomial time and apply the ellipsoid method to solve the linear optimization problem. The less obvious direction in the result above states that if one can solve the linear optimization problem, one can also use it to construct a separation oracle. The equivalence between these two problems turns out to have profound implications in combinatorial optimization and has enabled numerous polynomial time algorithms for many problems that are difficult to solve otherwise.

Our goal is to design a polynomial time separation oracle for the polytope P_F . The key observation is that the linear optimization problem over polytope P_F : $\max_{\mu \in P_F} w \cdot \mu$ is exactly the same as solving the MDP with reward function $R(\cdot) = w \cdot \phi(\cdot)$. Therefore, we can use the MDP solver to design a polynomial time separation oracle for P_F .

LEMMA 4.4. Given access to an MDP solver ALG that solves any MDP M in time polynomial in $\langle M \rangle$, we can design a separation oracle SO_F for P_F that runs in time polynomial in $\langle M \setminus R \rangle, \langle \phi \rangle, k$, and the bit complexity of the input⁴.

The proof is in Section 7 of the full version of this paper [11].

With SO_F , we first design a polynomial time separation oracle for checking the feasible (z, μ) pairs in LP 1 (see Algorithm 2). With the separation oracle, we can solve LP 1 using the ellipsoid method. The last difficulty is that the optimal solution only gives us the maxmin feature vector instead of the corresponding maxmin policy. We use the following nice property of SO_F to convert the optimal solution in the feature space to the policy space. See Section 7 in the full version of this paper [11] for intuition behind Lemma 4.5.

LEMMA 4.5. [7, 9, 15] If $SO_F(\mu) = \text{“Yes”}$, there exists a set, C , of weights $w \in \mathbb{R}^k$ such that SO_F has queried the MDP solver ALG on reward function $w \cdot \phi(\cdot)$ for every $w \in C$. Let (π_w, μ_w) be the output of ALG on weight w , then μ lies in the convex hull of $\{\mu_w | w \in C\}$.

The intuition behind Lemma 4.5 is that the separation oracle SO_F tries to search over all possible weights w to find one to separate the query point μ from P_F using the ellipsoid method. Along the way, it queries a set of weights (this is our set C) on ALG trying to find a separating weight w such that $\mu \cdot w > \mu_w \cdot w$. If such a separating weight is found, SO_F terminates immediately and outputs “No” together with the corresponding separating hyperplane. The SO_F says “Yes” only when it has searched over a polynomial

⁴Note that SO_F only depends on the bit complexity of $M \setminus R$, but not the actual model of $M \setminus R$ such as the distributions of the initial states or the transition probabilities. We only require access to ALG and an upper bound of $\langle M \setminus R \rangle$.

number of weights and concludes that there is no possible weight to separate μ . The reason that SO_F can draw such a conclusion is due to the ellipsoid method. In particular, when SO_F says “Yes”, the correctness of the ellipsoid algorithm implies that μ is in the convex hull of all the extreme points of P_F that have been outputted by the ALG.

4.1.2 Exact max-min solution. We prove Theorem 4.1 in this section. First, we design a polynomial time separation oracle for checking the feasible (z, μ) pairs in LP 1 (see Algorithm 2).

Algorithm 2 Separation Oracle for the feasible (μ, z) in LP 1

```

input  $(\mu', z') \in \mathbb{R}^{k+1}$ 
1: Query  $SO_F(\mu')$ .
2: if  $\mu' \notin P_F$  then
3:   output “NO” and output the same separating hyperplane as
   output by  $SO_F(\mu')$ .
4: else
5:   Let  $w^* \in \operatorname{argmin}_{w \in P_R} \mu' \cdot w$  and  $V = \mu' \cdot w^*$ . This requires
   solving a linear optimization problem over  $P_R$  using the ellipsoid
   method with the separation oracle  $SO_R$ .
6:   if  $z' \leq V$  then
7:     output “YES”
8:   else
9:     output “NO”, and a separating hyperplane  $z \leq \mu \cdot w^*$ , as
      $z' > \mu' \cdot w^*$  and all feasible solutions of LP 1 respect this
     constraint.
10:  end if
11: end if

```

With the separation oracle, we can solve LP 1 using the ellipsoid method. The last difficulty is that the optimal solution only gives us the maxmin feature vector instead of the corresponding maxmin policy. We address this issue using Lemma 4.5. See the proof of Theorem 4.1 for details.

Proof of Theorem 4.1: It is not hard to see that Algorithm 2 is a valid polynomial time separation oracle for the feasible (μ, z) pairs in LP 1. Hence, we can solve LP 1 in polynomial time with the ellipsoid method with access to Algorithm 2. Next, we show how to convert the optimal solution μ^* of LP 1 to the corresponding maxmin optimal policy π^* . Here, we invoke Lemma 4.5. We query SO_F on μ^* and we record all weights w that SO_F has queried the MDP solver ALG on. Let $C = \{w_1, \dots, w_\ell\}$ be all the queried weights. As SO_F is a polynomial time algorithm, ℓ is also polynomial in the input size. By Lemma 4.5, we know that μ is in the convex hull of $(\{\mu_w | w \in C\})$, which means there exists a set of nonnegative numbers p_1, \dots, p_ℓ , such that $\sum_{i=1}^\ell p_i = 1$ and $\mu^* = \sum_{i=1}^\ell p_i \cdot \mu_{w_i}$. Clearly, the discounted accumulated feature value of the randomized policy $\sum_{i=1}^\ell p_i \cdot \pi_{w_i}$ equals to $\sum_{i=1}^\ell p_i \cdot \Psi(\pi_{w_i}) = \sum_{i=1}^\ell p_i \cdot \mu_{w_i} = \mu^*$. We can compute the p_i s in poly-time via linear programming and $\sum_{i=1}^\ell p_i \cdot \pi_{w_i}$ is the maxmin policy. \square

4.2 Finding the Maxmin Policy using Follow the Perturbed Leader

The exact algorithm of Theorem 4.1 may be computationally expensive to run, as the separation oracle SO_F requires running the

ellipsoid method to answer every query, and on top of that we need to run the ellipsoid method with queries to SO_F . In this section, we propose a simpler and faster algorithm that is based on the algorithm –follow-the-perturbed-leader (FPL) [14].

THEOREM 4.6. *For any $\xi \in (0, 1/2)$, with probability at least $1 - 2\xi$, Algorithm 3 finds a policy π after T rounds of iterations such that its expected reward under any weight from P_R is at least $\max_{\mu \in P_F} \min_{w \in P_R} \mu \cdot w - \frac{k^2(6+4\sqrt{\ln 1/\xi})}{\sqrt{T}}$. In every iteration, Algorithm 3 makes one query to ALG and $O(k^2((M \setminus R)^2 + (\log T)^2))$ queries to SO_R .*

FPL is a classical online learning algorithm that solves a problem where a series of decisions d_1, d_2, \dots need to be made. Each d_i is from a possibly infinite set $D \subseteq \mathbb{R}^n$. The state $s_t \in \mathbb{S} \subseteq \mathbb{R}^n$ at step t is observed after the decision d_t . The goal is to have the total reward $\sum_t d_t \cdot s_t$ not far from the best expert's reward with hindsight, that is $\max_{d \in D} \sum_t d \cdot s_t$. The FPL algorithm guarantees that after T rounds, the regret $\sum_t d_t \cdot s_t - \max_{d \in D} \sum_t d \cdot s_t$ scales linearly in \sqrt{T} . This guarantee holds for both oblivious and adaptive adversary, and the bound holds both in expectation and with high probability.

Follow-the-Perturbed-Leader. Kalai and Vempala [14] proposed the FPL algorithm and showed that in expectation, the regret is small against any oblivious adversary. [12] showed that the same regret bound extends to settings with adaptive adversary. To obtain a high probability bound, one can construct a martingale to connect the actual reward and the expected reward obtained by the agent, then apply the Hoeffding-Azuma inequality.

THEOREM 4.7 (FOLLOW-THE-PERTURBED-LEADER). [8, 12, 14] *Let d_1, \dots, d_T be a sequence of decisions. Let s_1, \dots, s_T be a state sequence chosen by an adaptive adversary, that is, s_t can be selected based on all the previous states s_1, \dots, s_{t-1} and all the previous decisions d_1, \dots, d_{t-1} for every $t \leq T$. If we let d_t be $\operatorname{argmax}_{d \in D} d \cdot (\sum_{i=1}^{t-1} s_i + p_t)$, where p_t is drawn uniformly from $[0, 1/\delta]^n$ for some $\delta > 0$, then*

$$\mathbb{E} \left[\sum_{t=1}^T d_t \cdot s_t - \max_{d \in D} \sum_{t=1}^T d \cdot s_t \right] \geq -\delta \cdot C_1 C_2 T - \frac{2C_3}{\delta}.$$

C_1 is an upper bound of $\|s\|_1$ for all $s \in \mathbb{S}$, C_2 is an upper bound of $|d \cdot s|$ for all $d \in D$ and $s \in \mathbb{S}$, and C_3 is an upper bound of $\|d\|_1$ for all $d \in D$. Moreover, for all $\xi \geq 0$, with probability at least $1 - \xi$, the actual accumulative reward under any adaptive adversary satisfies,

$$\sum_{t=1}^T d_t \cdot s_t - \max_{d \in D} \sum_{t=1}^T d \cdot s_t \geq -\delta \cdot C_1 C_2 T - \frac{2C_3}{\delta} - 2C_2 \sqrt{T \ln \frac{1}{\xi}}.$$

FPL falls into a large class of algorithms that are called low-regret algorithms, as the regret grows sub-linearly in T . It is well known that low-regret algorithms can be used to solve two-player zero-sum games approximately. The maxmin problem we face here can also be modeled as a two-player zero-sum games. One player is the agent whose strategy is a policy π , and the other player is the reward designer whose strategy is a weight $w \in P_R$. The agent's payoff is the reward that it collects using policy π , which is $\Psi(\pi) \cdot w$, and the designer's payoff is $-\Psi(\pi) \cdot w$. Finding the maxmin strategy for the agent is equivalent to finding the maxmin policy. One challenge here is that the numbers of strategies for both players are infinite. Even if

we only consider the pure strategies which correspond to the extreme points of P_F and P_R , there are still exponentially many of them. Many low-regret algorithms such as multiplicative-weights-update requires explicitly maintaining a distribution over the pure strategies, and update it in every iteration. In our case, these algorithms will take exponential time to finish just a single iteration. This is the reason why we favor the FPL algorithm, as the FPL algorithm only requires finding the best policy giving the past weights, which can be done by the MDP solver ALG. Next, we prove Theorem 4.6.

Algorithm 3 FPL Maxmin Learning

input T : the number of iterations

- 1: Set $\delta := \frac{1}{k\sqrt{T}}$.
 - 2: Arbitrarily pick some policy π_1 , compute $\mu_1 \in P_F$. Arbitrarily pick some reward weights w_1 , and set $t = 1$.
 - 3: **while** $t \leq T$ **do**
 - 4: Use ALG to compute the optimal policy π_t and $\mu_t = \Psi(\pi_t)$ that maximizes the expected reward under reward function $(\sum_{i=1}^{t-1} w_i + p_t) \cdot \phi(\cdot)$, where p_t is drawn uniformly from $[0, 1/\delta]^k$.
 - 5: Let $w_t := \operatorname{argmin}_{w \in P_R} w^T (\sum_{i=1}^{t-1} \mu_i + q_t)$, where q_t is drawn uniformly from $[0, 1/\delta]^k$.
 - 6: $t := t + 1$.
 - 7: **end while**
 - 8: Output the randomized policy $\frac{1}{T} \cdot \sum_{t=1}^T \pi_t$.
-

Proof of Theorem 4.6: We use P to denote the sequence p_1, \dots, p_T and Q to denote the sequence q_1, \dots, q_T . First, notice that every realization of Q defines a deterministic adaptive adversary for the agent. In the setting of Algorithm 3, we can take C_1 to be k , C_2 to be k^2 , and C_3 to be k . By Theorem 4.7, we know that for all $\xi \geq 0$, $\Pr_{P \sim U[0, 1/\delta]^{kT}} [\sum_{t=1}^T \mu_t \cdot w_t - \max_{\mu \in P_F} \sum_{t=1}^T \mu \cdot w_t \geq -k^2 \sqrt{T} (3 + 2\sqrt{\ln 1/\xi}) | Q] \geq 1 - \xi$ for every realization of Q . Similarly, every realization of P also defines a deterministic adaptive adversary for the designer, and by Theorem 4.7, we know that $\Pr_{Q \sim U[0, 1/\delta]^{kT}} [-\sum_{t=1}^T \mu_t \cdot w_t + \min_{w \in P_R} \sum_{t=1}^T \mu_t \cdot w \geq -k^2 \sqrt{T} (3 + 2\sqrt{\ln 1/\xi}) | P] \geq 1 - \xi$ for any realization of P .

Let $B = k^2 \sqrt{T} (3 + 2\sqrt{\ln 1/\xi})$. By the union bound, with probability at least $1 - 2\xi$ over the randomness of P and Q

$$\sum_{t=1}^T \mu_t \cdot w_t - \max_{\mu \in P_F} \sum_{t=1}^T \mu \cdot w_t \geq -B \quad (1)$$

and

$$-\sum_{t=1}^T \mu_t \cdot w_t + \min_{w \in P_R} \sum_{t=1}^T \mu_t \cdot w \geq -B \quad (2)$$

Next, we argue that $\frac{1}{T} \cdot \sum_{t=1}^T \pi_t$ is an approximate maxmin policy.

$$\min_{w \in P_R} \sum_{t=1}^T \mu_t \cdot w \geq \sum_{t=1}^T \mu_t \cdot w_t - B \quad (\text{Eq. (2)})$$

$$\geq \max_{\mu \in P_F} \sum_{t=1}^T \mu \cdot w_t - 2B \quad (\text{Eq. (1)})$$

$$\geq T \cdot \max_{\mu \in P_F} \min_{w \in P_R} \mu \cdot w - 2B$$

The last inequality is because that on the LHS (line 2) the designer is choosing a fixed strategy $\frac{1}{T} \cdot \sum_{t=1}^T w_t$, while on the RHS (line 3) the designer can choose the worst possible strategy for the agent. Therefore, if the agent uses policy $\frac{1}{T} \cdot \sum_{t=1}^T \pi_t$, it guarantees expected reward $\max_{\mu \in P_F} \min_{w \in P_R} \mu \cdot w - 2B/T$. Finally, in every iteration t , we query ALG once to compute π_t and μ_t , and we use the ellipsoid method to find w_t using $O(k^4(\log n + \log T))$ queries to SO_R and $\text{poly}(k, \log n, \log T)$ regular computation steps. During each query, SO_R calls ALG. Thus, our result is a reduction from the maxmin learning problem to simply solving an MDP under given weights. Any improvement on ALG will also improve the running time of Algorithm 3. We discuss the empirical running time in section 5 \square

In the previous sections, we assume that we have access to an MDP solver ALG that solves any MDP M optimally in time polynomial in $\langle M \rangle$. However, in practice, solving large-size MDPs, e.g. continuous control problems, exactly could be computationally expensive or infeasible. Our FPL-based algorithm also works in cases where we can only solve MDPs approximately.

Suppose we are given access to an additive FPTAS $\widehat{\text{ALG}}$ for solving MDPS. More specifically, $\widehat{\text{ALG}}$ finds in time polynomial in $\langle M \rangle, 1/\eta$ a solution (π_η^*, μ_η^*) , such that $\mathbb{E}_{s_0 \sim D}[V^{\pi_\eta^*}(s_0)|M] \geq \max_{\pi} \mathbb{E}_{s_0 \sim D}[V^\pi(s_0)|M] - \eta$. Notice that the weights of M 's reward function have L_1 -norm L .

We face two challenges when we replace ALG with $\widehat{\text{ALG}}$: (i) we can no longer find the best policy μ_t with respect to all the previous weights plus the perturbation in every iteration, and (ii) we no longer have a separation oracle for P_R , as the SO_R (Algorithm 1) relies on the MDP solver when P_R is implicitly specified by the expert's policy. It turns out (i) is not hard to deal with, as the FPL algorithm is robust enough to work with only an approximate leader. (ii) is much more subtle. We design a new algorithm and use it as a proxy for the polytope P_R . We call this new algorithm a weird separation oracle (following the terminology in [71]) as the points it may accept do not necessarily form a convex set, even though it does accept all points in P_R . It may seem at first not clear at all why such a weird separation oracle can help us. However, we manage to prove that just with this weird separation oracle, we can still compute an approximate minimizing weight vector w_t in P_R in every iteration (Step 5 of Algorithm 3). Combining this with our solution for challenge (i), we can still compute an approximately maxmin policy with essentially the same performance as in Algorithm 3. This generalization is postponed to Section 8 in the full version of this paper [11].

5 EXPERIMENTS

Gridworld. We use gridworlds in the first set of experiments. Each grid may have a different "terrain" type such that passing the grid will incur certain reward. For each grid, a feature vector $\phi(s)$ denotes the terrain type, and the true reward can be expressed as $R^* = w^* \cdot \phi(s)$. The agent's goal is to move to a goal grid with *maximal* reward under the *worst possible* weights that are consistent with the expert. In other words, the maxmin policy is a safe policy, as it avoids possible negative side effects [3]. In the experiments, we construct the expert policy π_E that is optimal in a small (10×10) demonstration gridworld that contains a subset of the terrain types.

An example behavior is shown in Figure 2. There are 5 possible terrain types. The expert policy in Figure 2 (left) has only seen 4

terrain types. We compute the maxmin policy in the "real-world" MDP of a much larger size (50×50) with all 5 terrain types using Algorithm 3 with the reward polytope P_R implicitly specified by the expert policy. Figure 2 (middle) shows that our maxmin policy avoids the red-colored terrain that was missing from the demonstration MDP. To facilitate observation, Figure 2 (right) shows the same behavior by an agent trained in a smaller MDP. Figure 3 compares the maxmin policy to a baseline. The baseline policy is computed in an MDP whose reward weights are the same as the demonstration MDP for the first four terrain types and the fifth terrain weight is chosen at random. Our maxmin policy is much safer than the baseline as it completely avoids the fifth terrain type. It also imitates the expert's behavior by favoring the same terrain types.

We also implemented the maxmin method in gridworlds with a stochastic transition model. The maxmin policy (see Figure 8 in Section 9 of the full version of this paper [11]) is more conservative comparing to the deterministic model, and chooses paths that are further away from any unknown terrains.

Computation Performance. In the gridworld experiment, the worst case running time of ALG is $O(n^2)$, but experiments show a more benign runtime of $O(n^{1.5})$. For a 50×50 grid world with 25 features, Algorithm 3 appears to converge after 325 iterations of FPL with total runtime of 3324 seconds (average of 20 trials, ordinary desktop computer).

In every iteration of Algorithm 3 and Algorithm 5, step 5 computes a minimizing weight in P_R . Instead of using the ellipsoid method to solve the LP, we use the analytic center cutting-plane method (see [5] for a brief overview) throughout our experiments. The method combines good practical performance with reasonable simplicity, and the running time appears to scale in the order of $O(k^2)$.

CartPole. Our next experiments are based on the classic control task of cartpole and the environment provided by OpenAI Gym [6]. While we can only solve the problem approximately using model-free learning methods, our experiments show that our FPL-based algorithm can learn a safe policy efficiently for a continuous task. Moreover, if provided with more expert policies, our maxmin learning method can easily accommodate and learn from multiple experts.

We modify the classic CartPole task in the OpenAI Gym environment by adding features that may incur additional rewards. This is represented by the question blocks in Figure 4. The two question blocks correspond to feature indicators for the agent's horizontal position in the range of $[-1.2, 0)$ and $[0.6, 1.8)$. We keep the same episode termination criterions for the pole angle and cart position as the original environment. An episode is considered ending without failing if the pole angle and cart position meet the criterion and the episode length is greater than 500. The agent receives a reward of +1 for surviving every step.

The agent has no idea of what consequences passing these two blocks may have. Instead of knowing the rewards associated with these two blocks, we have expert policies from two other related scenarios. The first expert policy (*Expert A*) performs well in *scenario A* where only the blue block to the left of the center is present, and the second expert policy (*Expert B*) performs well in *scenario B* where only the yellow block to the right of the center is present.




Figure 2: An example of maxmin policy in gridworlds. Left: an expert policy in the small demonstration MDP, where 4 of 5 terrain types were used and their weights were randomly chosen. The expert policy guides moving towards the yellow goal grid while preferring the terrains with higher rewards (light blue and light green). Middle: when faced with terrain types (red-colored) that the expert policy never experienced, maxmin policy avoids such terrains and the accompanying negative side effects. The agent learns to operate in a larger (50×50) grid world. Right: an agent in a smaller MDP to facilitate observation. The maxmin policy generates two possible trajectories because the rewards are adversarially chosen from P_R .




Figure 3: Experiment results comparing our maxmin policy to a baseline. The baseline was computed with a random reward for the fifth terrain and the other four terrain rewards set the same as the demonstration MDP. Our maxmin policy is much safer than the baseline as it completely avoids traversing the fifth (unknown) terrain type. It should also be noticed that the maxmin policy learns from the expert policy while achieving the goal of avoiding potential negative side effects, as the fraction of trajectory of each terrain type closely resemble the expert. The results are accumulated from 100 individual runs using the same expert policy.

The behavior of expert policies in a default scenario (without any question blocks), and scenarios *A* and *B* are shown in Figure 5. It is obvious that comparing with the default scenario, the expert policies in the other two scenarios prefer to travel to the right side. Intuitively, it seems that the blue block incurs negative effects while the yellow block is either neutral or positive.

Now we train the agent in the presence of both question blocks. First, we provide the agent with *Expert A* policy alone, and learn a




Figure 4: Modified cartpole task with two additional features – questions blocks to either side of the center. The rewards associated with passing these blocks are not provided to the agent.

maxmin policy. The maxmin policy’s behavior is shown in Figure 6 (top). It tries to avoid both question blocks since it observes that Expert *A* avoids the blue block and it has no knowledge of the yellow block. Then, we provide both *Expert A* and *Expert B* to the agent, and the resulting maxmin policy guides movement in a wider range extending to the right of the field as shown in Figure 6 (bottom). This time, our maxmin policy also learns from *Expert B* that the yellow block is not harmful.

The experiment demonstrates that our maxmin method works well with complex reinforcement learning tasks where only approximate MDP solvers are available.

6 DISCUSSION

In this paper, we provided a theoretical treatment of the problem of reinforcement learning in the presence of mis-specifications of the agent’s reward function, by leveraging data provided by experts. The posed optimization can be solved exactly in polynomial-time by using the ellipsoid methods, but a more practical solution is provided by an algorithm which takes a follow-the-perturbed-leader approach. Our experiments illustrate the fact that this approach can successfully learn robust policies from imperfect expert data, in both discrete and continuous environments. It will be interesting to see whether our maxmin formulation can be combined with other methods in RL such as hierarchical learning to produce robust solutions in larger problems. Our results rely on the linear feature space assumption,




Figure 5: Behavior examples of different policies. Occupancy is defined as the number of steps appearing at a location divided by the total steps. top: In the default setting without any question blocks, the travel range is relatively symmetric around the center of the field. mid: In the presence of the blue question block to the left, an expert policy *A* guides movements to the right. bottom: In *scenario B* where only the yellow question block is present, expert policy *B* also guides movement to the right.




Figure 6: Maxmin policy learnt with different expert policies. top: Given *Expert A* policy only, the agent learns to stay within a narrow range near slightly right to the center to avoid both question blocks. Because the agent has no knowledge about the yellow block, a maxmin policy avoids it. bottom: When given both *Expert A* and *Expert B* policies, the agent learns that it is safe to pass the yellow block, so the range is wider and extends more to the right comparing to the maxmin policy learnt from *Expert A* alone. The results are from testing the maxmin policy for 2000 episodes.

and it is an interesting question to extend our solution to the non-linear case. For multiple experts, our model assumes the existence of a reward function that is consistent with all expert policies. However, such an assumption may not always hold in practice and the expert policies may contradict with each other. We believe it is an important question to extend our model to accommodate such scenarios.

REFERENCES

- [1] Pieter Abbeel and Andrew Y Ng. Apprenticeship learning via inverse reinforcement learning. In *Proceedings of the twenty-first international conference on Machine learning*, page 1. ACM, 2004.
- [2] Kareem Amin, Nan Jiang, and Satinder Singh. Repeated inverse reinforcement learning. In *Advances in Neural Information Processing Systems*, pages 1813–1822, 2017.
- [3] Dario Amodei, Chris Olah, Jacob Steinhardt, Paul Christiano, John Schulman, and Dan Mané. Concrete problems in ai safety. *arXiv preprint arXiv:1606.06565*, 2016.
- [4] Aharon Ben-Tal, Elad Hazan, Tomer Koren, and Shie Mannor. Oracle-based robust optimization via online learning. *Operations Research*, 63(3):628–638, 2015.
- [5] Stephen Boyd and Lieven Vandenbergh. Localization and cutting-plane methods. *From Stanford EE 364b lecture notes*, 2007.
- [6] Greg Brockman, Vicki Cheung, Ludwig Pettersson, Jonas Schneider, John Schulman, Jie Tang, and Wojciech Zaremba. Openai gym. *arXiv preprint arXiv:1606.01540*, 2016.
- [7] Yang Cai, Constantinos Daskalakis, and S. Matthew Weinberg. Reducing Revenue to Welfare Maximization : Approximation Algorithms and other Generalizations. In *the 24th Annual ACM-SIAM Symposium on Discrete Algorithms (SODA)*, 2013.
- [8] Nicolò Cesa-Bianchi and Gabor Lugosi. *Prediction, Learning, and Games*. Cambridge University Press, 2006.
- [9] Martin Grötschel, László Lovász, and Alexander Schrijver. The Ellipsoid Method and its Consequences in Combinatorial Optimization. *Combinatorica*, 1(2):169–197, 1981.
- [10] Dylan Hadfield-Menell, Smitha Milli, Pieter Abbeel, Stuart J Russell, and Anca Dragan. Inverse reward design. In *Advances in Neural Information Processing Systems*, pages 6768–6777, 2017.
- [11] Jessie Huang, Fa Wu, Doina Precup, and Yang Cai. Learning safe policies with expert guidance. *arXiv preprint arXiv:1805.08313*, 2018.
- [12] Marcus Hutter and Jan Poland. Adaptive online prediction by following the perturbed leader. *Journal of Machine Learning Research*, 6(Apr):639–660, 2005.
- [13] Garud N Iyengar. Robust dynamic programming. *Mathematics of Operations Research*, 30(2):257–280, 2005.
- [14] Adam Kalai and Santosh Vempala. Efficient algorithms for online decision problems. *Journal of Computer and System Sciences*, 71(3):291–307, 2005.
- [15] Richard M. Karp and Christos H. Papadimitriou. On linear characterizations of combinatorial optimization problems. *SIAM J. Comput.*, 11(4):620–632, 1982.
- [16] Leonid G. Khachiyan. A Polynomial Algorithm in Linear Programming. *Soviet Mathematics Doklady*, 20(1):191–194, 1979.
- [17] Shiao Hong Lim, Huan Xu, and Shie Mannor. Reinforcement learning in robust markov decision processes. In *Advances in Neural Information Processing Systems*, pages 701–709, 2013.
- [18] Jun Morimoto and Kenji Doya. Robust reinforcement learning. *Neural computation*, 17(2):335–359, 2005.
- [19] Andrew Y Ng, Stuart J Russell, et al. Algorithms for inverse reinforcement learning. In *Icml*, pages 663–670, 2000.
- [20] Arnab Nilim and Laurent El Ghaoui. Robust control of markov decision processes with uncertain transition matrices. *Operations Research*, 53(5):780–798, 2005.
- [21] Umar Syed, Michael Bowling, and Robert E Schapire. Apprenticeship learning using linear programming. In *Proceedings of the 25th international conference on Machine learning*, pages 1032–1039. ACM, 2008.
- [22] Umar Syed and Robert E Schapire. A game-theoretic approach to apprenticeship learning. In *Advances in neural information processing systems*, pages 1449–1456, 2008.